

KB 5 Image Views





INSTA-LINE
CHANNEL 1



INSTA-LINE
CHANNEL 2



INSTA-LINE
CHANNEL 3



INSTA-LINE
CHANNEL 4



MASTER



POWER



KB5

DESIGNED AND MADE IN U.S.A.



POWER

GROUND POLARITY



120 VAC 60 HZ



150 WATTS



PEAVEY ELECTRONICS CORPORATION
MERIDIAN, MS USA

DESIGNED AND MADE
IN THE USA



EXTERNAL SPEAKER
MINIMUM 8 OHMS
JACK PARALLELED WITH ONE
INTERNAL SPEAKER



MINIMUM AMPLIFIED LOAD 4 OHMS
100W RMS 1 OHMS
200W RMS 2 OHMS
25-7V RMS

MAIN LINE
OUT

BALANCED
LEFT



BALANCED
RIGHT



HEAD
PHONES



CH 5/
MONITOR
INPUT



RETURN



L



R

MAIN
EFX

SEND



CHANNEL 4
INPUT

RIGHT



LEFT MONO



LOW Z



RETURN

MC



EFX SEND

CHANNEL 3
INPUT

LEFT MONO



RIGHT



INPUT



1 - GROUND
2 - POSITIVE
3 - NEGATIVE

SLEEVE



TIP

SLEEVE GND

TIP POS

EFX



RETURN SEND

CHANNEL 2
INPUT



LEFT MONO

RIGHT



CHANNEL 1
INPUT



LEFT MONO

RIGHT



PEAVEY ELECTRONICS CORPORATION
MERIDIAN, MISSISSIPPI 39301
SERIAL NUMBER: 02-2011-0186
DATE OF MANUFACTURE: 11/11/11
POWER: 150W RMS @ 120VAC
150W RMS @ 240VAC
150W RMS @ 230VAC
150W RMS @ 220VAC
150W RMS @ 210VAC
150W RMS @ 200VAC
150W RMS @ 180VAC
150W RMS @ 170VAC
150W RMS @ 160VAC
150W RMS @ 150VAC
150W RMS @ 140VAC
150W RMS @ 130VAC
150W RMS @ 120VAC
150W RMS @ 110VAC
150W RMS @ 100VAC
150W RMS @ 90VAC
150W RMS @ 80VAC
150W RMS @ 70VAC
150W RMS @ 60VAC
150W RMS @ 50VAC
150W RMS @ 40VAC
150W RMS @ 30VAC
150W RMS @ 20VAC
150W RMS @ 10VAC
150W RMS @ 5VAC
150W RMS @ 0VAC